



Mfg. By:
ZOLON ARCHITECTURAL HARDWARE
Rajkot (Guj.) India
info@zolonhardware.com | www.zolonhardware.com



ENDURING
REFINED
STURDY
SLEEK
TIMELESS

Endless Innovations



| COMPANY PROFILE

We are a **ZOLON ARCHITECTURAL HARDWARE** team of young professionals: Design, Supply and Build your Dreams of exterior and interiors of your loved Building / Projects.

The Zolon Architectural Hardware talented and Innovative team is working on shop design and build.

Our professional team will schedule an in-person appointment with you to take space measurements, offer you design, working your professional consultation.

And we always put the best effort and materials to the satisfaction of our clients... We are proud to announce that we have Built Good trust and satisfactory notes from our clientele. Through making a dream in to reality we have put forth our 10 years of continuous Learning and Build Innovations and have smiled with the client with every project we completed. We look Forward to meet you in person and better understand your Requirements and take it forward.


| OUR EXPERIENCE IS YOUR GAIN

ZOLON's many years of experience is reflected in the products.

- For example, our all glass profiles have
- Top cover profiles to match the wall or floor.
- Water drainage openings.
- Extension pin ducts.
- A strong, 80 um powder coating.
- Robust, protective foil and cardboard packaging.

The ZOLON specialists have years of experience assembling glass balustrades, railing and architectural hardware. We know which requirements a construction must meet and what the easiest assembly method is. Thanks to our daily practical experience, we know exactly which problems you can come across. This practical knowledge forms the basis for the continuous innovation of our products.

A stylish solution for every space For the assembly of glass balustrades, you can choose between profiles and bolted glass panel holders. The surface to which you wish to attach the balustrade plays an important role in the choice of system. It is also important to know whether it concerns a side mount or a top mount. Glass balustrades must meet the requirements of the INDIAN building regulations. All the ZOLON profiles and bolted glass panel holders meet the safety standards. The products have been subjected to static calculations and after approval, they received a certificate. The following pages show you our range of products. Thanks to the chart, you can see at a glance which systems can be used in your construction project. All the systems are modular, which means you can put together your own package of products. Easy and convenient.



Essential Features

- Space Saving and Minimalist Design.
- Economical with Good Aesthetic Design.
- Specially for Residence, Hotels and Public Area.
- It is Ideal for Indoor and Outdoor.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch	✓			




Strength with Handrail.



Strength without Handrail.



- This railing is both sturdy and easy to install, so you can create the perfect look with minimal hassle.
- The best part is that this railing is maintenance-free and will never rust.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3 ft height of glass



Essential Features

- Architectural Aesthetics by Oval and Angled Rail Profile.
- Aesthetic Design with Maximum View.
- Easy Installation Saves Workmanship and Time.
- It is Ideal for Indoor and Outdoor.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart				
		Balcony Length		
		16 Feet	32 Feet	48 Feet
Glass Height	24 Inch	✓✓	✓	✓
	30 Inch	✓✓	✓	
	36 Inch	✓		
	42 Inch	✓		




Strength with Handrail.



Strength without Handrail.



- The sturdy construction and high-quality materials make this Railing the perfect investment for any homeowner.
- The features of this system are not limited, Corrosion resistance and light weight they also extends to east to maintain attractive design.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3 ft height of glass



Essential Features

- | Easy Glass Installation.
- | Can be used in high-rise Building.
- | Aluminium Cladding with a Stainless Steel Effect.
- | For Application in the Public Area.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden


Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓✓	✓✓
	30 Inch	✓✓	✓✓	✓✓	✓
	36 Inch	✓✓	✓✓	✓	✓
	42 Inch	✓✓	✓✓	✓	✓

✓✓
Strength with Handrail.

✓✓
Strength without Handrail.



- | A sturdy railing that can be used to protect people from the side of a staircase or a balcony.
- | Aluminum railing will not corrode, making it the perfect material for a railing that will last.
- | This profile comes in 12 ft length.
- | Profile is compatible for upto 4 ft height of glass and can also be used frameless.



Essential Features

- | Slim Line, Elegant Design and Low Maintenance.
- | Can be used in Interior and Exterior.
- | Suitable for Concrete Floor and Steel Construction.
- | For Applications in the Public Area.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓✓	✓	✓	✓
	42 Inch	✓✓	✓	✓	✓



Strength with Handrail.




Strength without Handrail.



- | This railing is made of sturdy aluminium and will be a beautiful addition to any porch. The design is Sleek and Simple.
- | This product is perfect for any commercial or residential application and will not rust, rot or corrode.
- | This profile comes in 12 ft length.
- | Profile is compatible for upto 4 ft height of glass and can also be used frameless.

MEDIUM - Concealed Profile System Top Mount System

ZCR - 05



Essential Features

- Top, Ceiling and Conceal Mounting.
- High Structural Strength Provides Maximum Security.
- Slim Line, Elegant Design and Low Maintenance.
- Optimaly Suited for Concrete Upstand.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓	✓	
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		



Strength with Handrail.




Strength without Handrail.



ZOLON
RAILING SYSTEMS

- This railing is built to be both elegant and functional, and is easy to install.
- The best part is that this railing is maintenance-free and will never rust.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3.5 ft height of glass and can also be used frameless.



Essential Features

- Space Saving and Minimalist Design.
- Economical with Good Aesthetic Design.
- Specially for Residence, Hotels and Public Area.
- It is Ideal for Indoor and Outdoor.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch				




Strength with Handrail.



Strength without Handrail.



- The light and slim aluminium railing is a perfect solution for areas where traditional railing can't be installed.
- Aluminum railing will not corrode, making it the perfect material for a railing that will last.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3 ft height of glass.



Essential Features

- | Architectural Aesthetics by Oval and Angled Rail Profile.
- | Aesthetic Design with Maximum View.
- | Easy Installation Saves Workmanship and Time.
- | It is Ideal for Indoor and Outdoor.

Finishes


- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart				
		Balcony Length		
		16 Feet	32 Feet	48 Feet
Glass Height	24 Inch	✓✓	✓	✓
	30 Inch	✓✓	✓	
	36 Inch	✓		
	42 Inch	✓		

- ✓✓ Strength with Handrail.
- ✓✓ Strength without Handrail.



- | The sturdy construction and high-quality materials make this Railing the perfect investment for any homeowner.
- | The features of this system are not limited, Corrosion resistance and light weight they also extends to east to maintain attractive design.
- | This profile comes in 16 ft length.
- | Profile is compatible for upto 3 ft height of glass



Essential Features

- Space saving and minimalist design.
- It is ideal for indoor.
- Specially for residence.
- Economical with good aesthetic design.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓		
	30 Inch	✓			
	36 Inch				
	42 Inch				



Strength with Handrail.




Strength without Handrail.



- The light and slim aluminium railing is a perfect solution for areas where traditional railing can't be installed.
- Aluminum railing will not corrode, making it the perfect material for a railing that will last.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3 ft height of glass.

100×37mm Bottom railing profile - Continue System ZCR - 10



Essential Features

- | Top, Ceiling and Conceal Mounting.
- | High Structural Strength Provides Maximum Security.
- | Slim Line, Elegant Design and Low Maintenance.
- | Optimally Suited for Concrete Upstand.

Finishes


- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		

- ✓✓
Strength with Handrail.
- ✓✓
Strength without Handrail.



- | This railing is built to be both elegant and functional, and is easy to install.
- | The best part is that this railing is maintenance-free and will never rust.
- | This profile comes in 16 ft length.
- | Profile is compatible for upto 3.5 ft height of glass and can also be used frameless.



Essential Features

- Easy Glass Installation.
- Can be used in high-rise Building.
- Aluminium Cladding with a Stainless Steel Effect.
- For Application in the Public Area.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓✓	✓	✓
	36 Inch	✓✓	✓✓	✓	✓
	42 Inch	✓✓	✓	✓	



Strength with Handrail.




Strength without Handrail.



- A sturdy railing that can be used to protect people from the side of a staircase or a balcony.
- Aluminum railing will not corrode, making it the perfect material for a railing that will last.
- This profile comes in 12 ft length.
- Profile is compatible for upto 4 ft height of glass and can also be used frameless.

86×50mm Medium continue railing profile Continue System

ZCR - 14



Essential Features

- Top, Ceiling and Conceal Mounting.
- High Structural Strength Provides Maximum Security.
- Slim Line, Elegant Design and Low Maintenance.
- Optimaly Suited for Concrete Upstand.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		

✓✓
Strength with Handrail.


✓✓
Strength without Handrail.



- This railing is built to be both elegant and functional, and is easy to install.
- The best part is that this railing is maintenance-free and will never rust.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3.5 ft height of glass and can also be used frameless.

120×45mm Side mount continue railing profile Continue System

ZCR - 15



Essential Features

- | Clear Views from Areas Enclosed by Floor.
- | Slim Line, Elegant Design and Low Maintenance.
- | Space Saving Minimalist Design.
- | High Resistance to Deformation Provides High Strength to the System.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓✓	✓	✓	
	42 Inch	✓✓	✓	✓	



- ✓✓
Strength with Handrail.
- ✓✓
Strength without Handrail.



- | This profile designed in a way that completely looks frameless
- | The best part is that this railing is maintenance-free and will never rust.
- | This system available in 12ft. Length.
- | Profile is compatible for upto 3.5 ft height of glass.

90×55mm Concealed continue railing profile Continue System

ZCR - 16



Essential Features

- Top, Ceiling and Conceal Mounting.
- High Structural Strength Provides Maximum Security.
- Optimally Suited for Concrete Upstand.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart

		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		



Strength with Handrail.




Strength without Handrail.



- This railing is built to be both elegant and functional, and is easy to install.
- The best part is that this railing is maintenance-free and will never rust.
- This profile comes in 16 ft length.
- Profile is compatible for upto 3.5 ft height of glass and can also be used frameless.

105×55mm Bottom continue railing profile Continue System

ZCR - 19



Essential Features

- | Slim Line, Elegant Design and Low Maintenance.
- | Can be used in Interior and Exterior.
- | Suitable for Concrete Floor and Steel Construction.
- | For Applications in the Public Area.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		

- ✓✓
Strength with Handrail.
- ✓✓
Strength without Handrail.



- | This profile designed in a way that completely looks frameless
- | The best part is that this railing is maintenance-free and will never rust.
- | This system available in 16ft. Length.
- | Profile is compatible for upto 3.5 ft height of glass.

90×50mm Led bottom continue railing profile Continue System

ZCR - 20



Essential Features

- ▮ Precision Engineered Elegance — Integrated LED Bottom Rail in Premium Aluminium
- ▮ Specialty for Residence, Hotels and Public Area.
- ▮ It is Ideal for Indoor and Outdoor.

Finishes

- ▮ Mill Finish
- ▮ Powder Coating
- ▮ Anodized
- ▮ Wooden

Recommended Railing Length Chart

		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		



Strength with Handrail.




Strength without Handrail.



- ▮ This railing is built to be both elegant and functional, and is easy to install.
- ▮ The best part is that this railing is maintenance-free and will never rust.
- ▮ This profile comes in 16 ft length.
- ▮ Profile is compatible for upto 3.5 ft height of glass.

120×60mm Bottom continue railing profile Continue System

ZCR - 21



Essential Features

- Clear Views from Areas Enclosed by Floor.
- Slim Line, Elegant Design and Low Maintenance.
- Space Saving Minimalist Design.
- High Resistance to Deformation Provides High Strength to the System.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden


Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓✓	✓✓
	30 Inch	✓✓	✓✓	✓✓	✓
	36 Inch	✓✓	✓✓	✓	✓
	42 Inch	✓✓	✓✓	✓	

✓✓
Strength with Handrail.

✓✓
Strength without Handrail.



- This profile designed in a way that completely looks frameless
- The best part is that this railing is maintenance-free and will never rust.
- This system available in 12ft. Length.
- Profile is compatible for upto 3.5 ft height of glass.



Essential Features

- | Slope Design for Perfect Aesthetic View.
- | Can be used in Interior and Exterior.
- | Suitable for Concrete Floor and Steel Construction.
- | For Applications in the Public Area.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			




Strength with Handrail.



Strength without Handrail.



- | The aluminium cover railing is an attractive alternative to the standard metal railing.
- | This product is perfect for any commercial or residential application and will not rust, rot, or corrode.
- | This system comes with bracket covered with continue profile with maximum length of 16 ft.
- | Profile is compatible for upto 3 ft height of glass...
- | Best used bracket at every 2.5 ft of distance.



Essential Features

- Premium Design in the Segment.
- Can be used in Interior and Exterior.
- Suitable for Concrete Floor and Steel Construction.
- For Applications in the Public Area.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden


Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			

✓✓
Strength with Handrail.

✓✓
Strength without Handrail.



- A square cover aluminium railing is an attractive and sturdy railing for any deck or patio.
- The best part is that this railing is maintenance-free and will never rust.
- This system comes with bracket covered with continue profile with maximum length of 16 ft.
- Profile is compatible for upto 3 ft height of glass...
- Best used bracket at every 2.5 ft of distance.



Essential Features

- High Structural Strength Provides Maximum Safety.
- Strongest Architectural by Oval and Angled Cover.
- Comfort with Assembly and Installation.
- With the Design it Saves Space.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden


Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓	✓
	30 Inch	✓✓	✓	✓	✓
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓		

✓✓
Strength with Handrail.

✓✓
Strength without Handrail.



- Slope aluminium railing is also easy to install and does not require a professional to install.
- This product is perfect for any commercial or residential application and will not rust, rot, or corrode.
- This system comes with bracket covered with continue profile with maximum length of 16 ft.
- Profile is compatible for upto 4 ft height of glass...
- Best used bracket at every 2.5 ft of distance.



Essential Features

- | Suitable for Frameless System.
- | High Structural Strength Provides Maximum Security.
- | NO Need a system for water Drainage.
- | Specially For Residence, Hotels, High Rise Buildings.

Finishes


- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓✓	✓
	30 Inch	✓✓	✓✓	✓	✓
	36 Inch	✓✓	✓	✓	
	42 Inch	✓	✓	✓	

- ✓✓ Strength with Handrail.
- ✓✓ Strength without Handrail.



- | This is the perfect solution for any type of railing, including deck railings, porch railings.
- | The features of this system are not limited, corrosion resistance also extends to east to maintain attractive design.
- | This system comes with bracket covered with continue profile with maximum length of 16 ft.
- | Profile is compatible for upto 4 ft height of glass. Even used without handrail frameless.
- | Best used bracket at every 2.5 ft of distance.



Essential Features

- | Clear Views from Areas Enclosed by Floor.
- | Slim Line, Elegant Design and Low Maintenance.
- | Space Saving Minimalist Design.
- | High Resistance to Deformation Provides High Strength to the System.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden


Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓✓	✓✓	✓
	30 Inch	✓✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch	✓	✓	✓	

✓✓
Strength with Handrail.

✓✓
Strength without Handrail.



- | This profile designed in a way that completely looks frameless.
- | The best part is that this railing is maintenance-free and will never rust.
- | This system comes with bracket covered with continue profile with maximum length of 16ft.
- | Profile is compatible for upto 3 ft height of glass.
- | Best used bracket at every 2.5 ft of distance.



Essential Features

- | Suitable for Staircase and Balcony.
- | Easy Installation, Maintenance.
- | Easy Economical and Compatible.
- | Perfect Aesthetic View.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓✓	✓	✓	✓
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			



Strength with Handrail.




Strength without Handrail.



- | This is often a concern for people who live in homes that have balconies, stairs, or outdoor staircases.
- | Bracket lengths are available in 70 mm & 140 mm.
- | Bracket is compatible for upto 1100 mm height of glass.
- | Brackets can be used at every 2.5 ft of distance.
- | Designed for saving workmanship and time.

"T" TYPE - Bracket System

ZBR - 02



Essential Features

- Economical and Compatible.
- Easy Installation Saves Workmanship and Time.
- Space Saving and Minimalist Design.
- Mostly Used in Commercial Buildings.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	✓
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			




Strength with Handrail.



Strength without Handrail.



- With its clean lines and minimalist design, the ALUMINIUM GLASS T BRACKET is the perfect way to complete your decor.
- The bracket length available in 70 mm.
- Bracket is compatible for upto 1000 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.
- Designed for saving workmanship and time.



Essential Features

- | Suitable for Staircase and Balcony.
- | Easy Installation, Easy Maintenance.
- | Economical and Compatible.
- | Perfect Aesthetic View.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden


Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch				




Strength with Handrail.



Strength without Handrail.



- | A slope aluminum glass bracket is a sleek and modern mounting solution for attaching a glass panel to a surface.
- | Bracket lengths are available in 70 mm & 140 mm.
- | Bracket is compatible for upto 1000 mm height of glass.
- | Brackets can be used at every 2.5 ft of distance.
- | Designed for saving workmanship and time.



Essential Features

- | Light Commercial and Residential Use.
- | Economical Design.
- | Widely Used for Stairs and Balconies.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch				




Strength with Handrail.



Strength without Handrail.



- | This bracket is crafted from high-quality aluminum, & the design making it lightweight and strong.
- | Bracket lengths are available in 70 mm & 140 mm.
- | Bracket is compatible for upto 900 mm height of glass.
- | Brackets can be used at every 2.5 ft of distance.
- | Designed for saving workmanship and time.



Essential Features

- | Light Commercial and Residential Use.
- | Economical Design.
- | Widely Used for Stairs and Balconies.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart

		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch				



Strength with Handrail.



Strength without Handrail.



- | Our Ferry Glass Aluminum Bracket is the perfect solution for mounting glass on your porch or balcony.
- | Bracket lengths are available in 70 mm & 140 mm.
- | Bracket is compatible for upto 900 mm height of glass.
- | Brackets can be used at every 2.5 ft of distance.
- | Designed for saving workmanship and time.



Essential Features

- Economical and Compatible.
- Easy Installation Saves Workmanship and Time.
- Space Saving and Minimalist Design.
- Mostly used in Commercial Buildings.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			




Strength with Handrail.



Strength without Handrail.



- The "L" shaped bottom glass bracket is a versatile and stylish bracket that can be used in many different ways.
- The bracket length available in 70 mm.
- Bracket is compatible for upto 1000 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.
- Designed for saving workmanship and time.



Essential Features

- | Suitable for Staircase and Balcony.
- | Easy Installation, Easy Maintenance.
- | Economical and Compatible.
- | Perfect Aesthetic View.

Finishes

- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch				



Strength with Handrail.




Strength without Handrail.



- | The Square Aluminium Glass Bracket is a very versatile product that can be used in balcony & stairs seamlessly.
- | Bracket lengths are available in 70mm & 140mm.
- | Bracket is compatible for upto 1000 mm height of glass.
- | Brackets can be used at every 2.5 ft of distance.
- | Designed for saving workmanship and time.

OVAL - Bracket System

ZBR - 08



Essential Features

- ▮ Suitable for Staircase and Balcony.
- ▮ Easy Installation, Easy Maintenance.
- ▮ Economical and Compatible.
- ▮ Perfect Aesthetic View.

Finishes

- ▮ Mill Finish
- ▮ Powder Coating
- ▮ Anodized
- ▮ Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓			




Strength with Handrail.



Strength without Handrail.



- ▮ The oval aluminium glass bracket is perfect for any modern home.
- ▮ The sleek and elegant design of the bracket makes it perfect for both commercial and residential use.
- ▮ Bracket lengths are available in 70 mm & 140 mm.
- ▮ Bracket is compatible for upto 1200 mm height of glass.
- ▮ Brackets can be used at every 3 ft of distance.
- ▮ Designed for saving workmanship and time.



Essential Features

- Light commercial and residential use.
- Economical design.
- Widely used for stairs and balconies.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	
	30 Inch	✓	✓		
	36 Inch	✓			
	42 Inch				




Strength with Handrail.



Strength without Handrail.



- Our Ferry Glass Aluminum Bracket is the perfect solution for mounting glass on your porch or balcony.
- Bracket lengths are available in 70 mm & 140 mm.
- Bracket is compatible for upto 900 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.
- Designed for saving workmanship and time.



Essential Features

- | Suitable for Staircase and Balcony.
- | Easy Installation, Easy Maintenance.
- | Economical and Compatible.
- | Perfect Aesthetic View.

Finishes


- | Mill Finish
- | Powder Coating
- | Anodized
- | Wooden

Recommended Railing Length Chart					
		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	✓
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓		
	42 Inch	✓	✓		

- ✓✓ Strength with Handrail.
- ✓✓ Strength without Handrail.



- | Easy glass up ultra - slender and base bottom bracket system, allow you to create balcony railing with endless view.
- | Bracket lengths are available in 70 mm & 140 mm.
- | Bracket is compatible for upto 1300 mm height of glass.
- | Brackets can be used at every 3 ft of distance.
- | Designed for saving workmanship and time.



Essential Features

- Economical and compatible.
- Easy installation saves workmanship and time.
- Space saving and minimalist design.
- Mostly used in commercial building.

Finishes

- Mill Finish
- Powder Coating
- Anodized
- Wooden

Recommended Railing Length Chart

		Balcony Length			
		16 Feet	32 Feet	48 Feet	Unlimited
Glass Height	24 Inch	✓	✓	✓	✓
	30 Inch	✓	✓	✓	
	36 Inch	✓	✓	✓	
	42 Inch				



Strength with Handrail.



Strength without Handrail.




- With its clean lines and minimalist design, the ALUMINIUM GLASS T BRACKET is the perfect way to complete your decor.
- The bracket length available in 70 mm.
- Bracket is compatible for upto 1000 mm height of glass.
- Brackets can be used at every 2.5 ft of distance.
- Designed for saving workmanship and time.

HANDRAIL & Accessories

Finishes

Mill Finish | Powder Coating | Anodized | Wooden

ZHR-01 (50 mm) ROUND



ZHR-02 (50 x 50 mm) SQUARE



ZHR-03 (65 x 45 mm) RECTANGLE



HANDRAIL & Accessories




Finishes

Mill Finish | Powder Coating | Anodized | Wooden

ZHR-04 (55 x 55 mm) 'U' TYPE



ZHR-05 (80 x 35 mm) INCLINE



ZHR-06 (40 x 40 mm) SQUARE



HANDRAIL & Accessories

Finishes

Mill Finish | Powder Coating | Anodized | Wooden

ZHR-07 (25 x 25 mm) SLIM LINE



ZHR-08 (65 x 40 mm) CLUB



ZHR-09 (70 x 35 mm) LED



HANDRAIL & Accessories



Finishes

Mill Finish | Powder Coating | Anodized | Wooden

ZHR-10 (25 x 75 mm) RECTANGLE



ZHR-11 (32 x 32 mm) SLEEK HANDRAIL



ZHR-13 (35 x 40mm) EASY LINE




HANDRAIL & Accessories

Finishes

Mill Finish | Powder Coating | Anodized | Wooden

ZHR-14 (83 × 38 mm) ROUND INCLINE



ZHR-15 (65 × 35 mm) DIAMOND



ZHR-16 (70 × 30mm) DUAL LED



HANDRAIL & Accessories



Finishes

Mill Finish | Powder Coating | Anodized | Wooden


ZHR-17 (50 × 50mm) LED HANDRAIL



ZHR-18 (50 × 35mm) STAR



ZHR-20 (60 × 40mm) RECTANGLE




HANDRAIL & Accessories

Finishes

Mill Finish | Powder Coating | Anodized | Wooden


ZHR-21 (17 × 19mm) SLIM HANDRAIL



ZHR-22 (38mm) ROUND HANDRAIL



ZHR-23 (38 × 38mm) OCTAGON



HANDRAIL & Accessories




Finishes

Mill Finish | Powder Coating | Anodized | Wooden

ZHR-24 (38 × 38mm) RADIUS



ZHR-25 (38mm) FULL ROUND HANDRAIL



ZHR-26 (50mm) FULL ROUND HANDRAIL



HANDRAIL & Accessories

Finishes

Mill Finish | Powder Coating | Anodized | Wooden


ZHR-27 (40 × 40mm) FULL SQUARE



ZHR-28 (50 × 50mm) FULL SQUARE



ZHR-29 (25 × 25mm) SQUARE PLAIN



HANDRAIL & Accessories




Finishes

Mill Finish | Powder Coating | Anodized | Wooden


ZHR-32 (40 × 40mm) LED




ZAHC 01 (Glass to glass aluminium
180° connectors)



ZAHC 02 (Glass to glass aluminium
90° connectors)



ZAHC 03 (Wall to glass aluminium
connector)



ALUMINIUM SPIGOTS

Finishes

Mill Finish | Powder Coating | Wooden



ZACS-01
6 & 9 Inches



ZACS-02
6 & 9 Inches



ZACS-03
9 Inch



ZACS-04
9 Inch



ZACS-05
9 Inch



ZACS-06
6 & 9 Inches



ZACS-07
6 & 9 Inches
77 - 78



ZACS-08
9 Inch



ZACS-09
6 & 9 Inches

ALUMINIUM SPIGOTS

Finishes

Mill Finish | Powder Coating | Wooden



ZACS-10
9 Inch



ZACS-11
6 & 9 Inches



ZACS-12
9 Inch



ZACS-13
6 & 10 Inches



ZACS-14
6 & 9 Inches



ZACS-15
6 & 9 Inches



ZACS-16
6 & 10 Inches



ZACS-17
6 & 9 Inches




ZACS-18
9 Inch

ALUMINIUM SPIGOTS

Finishes

Mill Finish | Powder Coating | Wooden



ZACS-19
6 & 10 Inches

ZACS-20
6 & 9 Inches


ZACS-21
12 Inch

ZACS-22
6 & 9 Inches

ALUMINIUM PIPE CONNECTORS

Finishes

Mill Finish | Powder Coating | Wooden



ZARF 01
Glass to pipe square connectors

ZARF 02
Glass to pipe round connectors

ZARF 03
Wall to pipe square connectors


ZARF 04
Wall to pipe round connectors

BALUSTRADE System



Essential Features

Suitable for Staircase and Balcony | Maintenance Free
Corrosion Resistance | SS 304/316 Grade | Top/Side Mount



Patta Type (12 mm x 50 mm)

Pipe Type (50ø / 40ø mm)

Pipe Type (50ø / 40ø mm)

Pipe Type (12 mm x 50 mm)

SIDE MOUNT

SS 304 / 316 Grade

Flat Patta
12 x 50 mm

Pipe
40 x 40 mm

Round
50ø / 40ø mm

SPIGOT

SS 304 / 316 Grade

ZS 01
10 x 40 mm

ZS 02

ZS 03
10 x 40 mm

Height : 8" / 9" / 10"

Height : 6"

Height : 8" / 9" / 10" / 12"

A suitable balustrade for every space

It is not without good reason that glass balustrades have become a trend. They provide an aesthetic, low-maintenance, durable solution for homes, offices and public spaces. There is a wide choice of suitable systems for every space, all of which are stylish, safe and easy to assemble.

Now available without assembly.

You can now also order the ZOLON systems and assemble them yourself. This gives you even more options! Maybe you know exactly which profile you require, because the architect has included it in the design. However, it is also possible that it only says 'Glass balustrade'. You can then choose one yourself with the aid of this product brochure or you can ask our consultants for advice.



Certification

We are pleased to share that our products have successfully obtained the necessary performance certifications from Winwall India, ensuring quality, reliability, and industry-standard compliance.



We are fully certified and officially registered in accordance with all required industry norms, ensuring that our aluminium railing systems meet established quality, safety, and performance standards